



VENTURE LIGHTING®



LOW WATT

HIGH POWER

TRACK LIGHTING SYSTEMS

FROM



VENTURE
LIGHTING

LIGHTING
SOLUTIONS



Before



After



Track Lighting

CASE STUDY

Project: Pro-Golf Shop, Aurora, Ohio


Existing Lighting: (32) 65-watt R30 incandescent

Replacement Lighting: (10) Venture's Dual head 35-watt Tracklighting MR16 systems

Energy Usage: Halogen: 2.1 kWh; Venture's MR16: 0.87 kWh

Energy Savings: 60% (1.2 kWh total saved)

- 4X the lamp life: Venture's MR16: 12,000 hours vs. incandescent 1000 to 3000 hours
- 3X the light levels



* Laboratory measured values





Solutions



APPLICATIONS

- Retail Lighting
- Showcase Lighting
- Auto Dealership Showrooms

BENEFITS


Compared to quartz halogen, Venture's track lighting system:

- Saves up to 64% energy without sacrificing light levels
- Up to 3½ x the Light Levels
- 4x the life
- High CRI lighting, 90+
- Daylight color: 5000K CCT, colors of products are truer



Track Lighting Systems

ELECTRONIC UNIFORM PULSE START METAL HALIDE LIGHTING SYSTEMS




35 Watt Electronic Track Lighting Systems

# of Lamps	Lamp Type	Product Description	Part Number	Base	System Watts	Input Voltage	Fig.	Track Type	Fixture Color
Single	MR16	VETF-J35W1-GX10-WH	60622SYS	GX10	43	120	1	J	White
Twin	MR16	VETF-J35W2-GX10-WH	60633SYS	GX10	87	120	2	J	White
Single	MR16	VETF-H35W1-GX10-WH	60644SYS	GX10	43	120	1	H	White
Twin	MR16	VETF-H35W2-GX10-WH	60655SYS	GX10	87	120	2	H	White
Single	MR16	VETF-J35W1-GX10-BK	60623SYS	GX10	43	120	1	J	Black
Twin	MR16	VETF-J35W2-GX10-BK	60624SYS	GX10	87	120	2	J	Black
Single	MR16	VETF-H35W1-GX10-BK	60645SYS	GX10	43	120	1	H	Black
Twin	MR16	VETF-H35W2-GX10-BK	60646SYS	GX10	87	120	2	H	Black

Venture Lighting® MR16 LAMPS


Lamp Type	Lamp Description	Product Number	Center Beam Candle Power	Beam Angle°	Beam Type	Avg. Life Hours	CCT (K)	CRI	Fig.	Lamp Color
MR16	MPSE 35W/GX10/MR16/950/SP/WH	60621	19000cd	10	Spot	12000	5000	90+	3	White
MR16	MPSE 35W/GX10/MR16/950/NFL/WH	60631	11200cd	18	Narrow Flood	12000	5000	90+	3	White
MR16	MPSE 35W/GX10/MR16/950/FL/WH	60632	5100cd	30	Flood	12000	5000	90+	3	White
MR16	MPSE 35W/GX10/MR16/950/SP/BK	60620	19000cd	10	Spot	12000	5000	90+	3	Black
MR16	MPSE 35W/GX10/MR16/950/NFL/BK	60641	11200cd	18	Narrow Flood	12000	5000	90+	3	Black
MR16	MPSE 35W/GX10/MR16/950/FL/BK	60642	5100cd	30	Flood	12000	5000	90+	3	Black

1
FIXTURE



Width = 9.9" (251mm)
Height = 7.38" (187mm)
Depth = 2.38" (60mm)

2
FIXTURE



Width = 12.2" (310mm)
Height = 7.38" (187mm)
Depth = 2.38" (60mm)

3
LAMP



MR16
Dia. = 2.375" (60mm)
MOL = 3.6" (92mm)
Base = GX10

Housing

Extruded aluminum, provided with a pre-wired connector for supply connection, and a safety latching hook for mechanical securing to mounting track.

Thermal Rating

Housing is suitable for 10°C to 35°C ambient

Finish

All luminaires are available in a powder coated finish.

Lampholder

UL Listed, GX10 base, 5 KV pulse rating socket, 150°C lampholder leads.

Life

50% survival at 12000 hours (rated life).

Warranty

- Lamp Warranty: 1 year; "One Call" System Warranty 1 year
 - Fixture Warranty: 1 year; "One Call" System Warranty 1 year
 - Ballast Warranty: 2 years; "One Call" System Warranty 3 years
- For details about "One Call" warranty, see our website or catalog

Notes


- Lamp(s) included with fixture order
- Lumen maintenance is 90% at mean life
- J-type track compatible
- H-type track compatible
- Hot re-start: 3 minutes

Ordering Information


The product description code gives you complete information about the fixture. An explanation appears below.

Venture Fixture Description Example: **VETF-J35W1-GX10-WH**

VETF	J	35W	2	GX10	WH
Fixture Type	Connector Type	Wattage	Lamp Count	Base Type	Color
VETF - Electronic Track Lighting	Track Connector J - Type H - Type	Ballast/Lamp 35W - 35 watts	1 - Single Lamp 2 - Twin Lamp	GX10 - MR16 GX10	WH - White BK - Black



J-Type Track Adapter



H-Type Track Adapter

(800) 451-2606
or **(440) 248-3510**

Fax: (800) 451-2605
10295 Philipp Parkway
Streetsboro, Ohio 44241 USA
E-mail: venture@adlt.com
VentureLighting.com

