

Lighting Solutions

from a Leader in Light Source Technology

About Venture Lighting



Venture Lighting International, an Advanced Lighting company, was founded in 1983 as a metal halide, high intensity discharge lamp manufacturing company based in Cleveland, Ohio. Venture Lighting developed innovative, environmentally friendly products designed for a wide range of metal halide lighting applications. Venture Lighting has built a reputation as a lighting technology market leader. Customers around the world relay on Venture's product innovation, superb quality, world-class service and outstanding technical support.

These same high standards are realized in our new range of LED lighting products that include LED lamps, retrofit kits, luminaires and more. With Venture LED lighting solutions you can be assured of the very best LED technology promising huge energy savings and longer life, all backed up by an unbelievable warranty. Venture Lighting is committed to providing the best LED and HID lighting solutions coupled with the very best service and support.





Venture LED Advantage



- Energy Saving
- Longer Life
- Superior Performance
- Easy to Install
- 5 Year Warranty
- All Weather
- Technical Support





Interior Luminaires



Modern Highbay





- 0-10V Dimming
- IP65 Rated

'enture

- 5K Color
- Optics Lens Available
- Occupancy Sensors Available



		120-277V
	Wattage	Lumens
	90W	11400
	150W	18900
	200W	25000
Contraction of the second state	300W	40108
Q		347-480V
T T MAKE	<u>Wattage</u>	Lumens
	100W	12165
Marrie and a state of the state	150W	18970
	200W	24670
TOPPE	High Ambient	Temperature
	<u>Wattage</u>	Lumens
-65	200W	24670

Real Comparisons: Highbay

The Hope Center, Perryville, Missouri





NTURE



Commerce Highbay



Commerce



Wattage	Lumens
120W	14200
160W	18700
200W	23300

- 0-10V Dimming
- Damp Location Rated
- 4K Color
- Occupancy Sensors Available





Wave Aisle Lighter



Wave Aisle Lighter

Wattage	Lumens
90W	10100
120W	12900
150W	16500

- Extruded aluminum heat sink housing and stainless steel hardware
- Universal 120-277V 50/60 Hz input
- 0-10V DC dimming standard to maximize energy savings
- (2) aircraft cables included with fixture for mounting
- Occupancy Sensors Available





Linear Highbays



5000K Linear Highbay

Wattage	Lumens
110W	14400
160W	21870

- Available in 4000K, contact for lead time
- 0-10V Dimming standard
- Clear and Frosted lens with accessories such as wire guard kit
- V-hooks supplied; pendant mounting accessories available









LED Panels

Size	Wattage	Color Temp.	Lumens
2x4	52W	5K	5650
2x4	52W	4K	5410
2x4	52W	35K	5800
2x2	40W	5K	4180
2x2	40W	4K	4192
2x2	40W	35K	4100
1x4	36W	5K	3600
1x4	36W	4K	3950
1x4	36W	35K	3600


- Edge Lit
- IC Rated
- Available in 35K, 4K, & 5K
- Surface Mount Kit and Dry Wall Kit Available
- 0-10V Dimming
- Battery Backup





Real Comparisons: LED Panels







NEW: LED Troffers



Troffers

Size	Wattage	Lumens
2x2	32W	3720
2x4	42W	5120

- 4000K
- Rated for damp locations
- 0-10V Dimming
- IC Rated
- In stock and available to ship today!





NEW: LED Volumetric Troffers



	Volumet	ric Troffers
Size	Wattage	Lumens
2x2	26W	3275
2x4	48W	5970

- 0-10V Dimming
- 4K Color
- Damp Location Rated
- Works with Drywall Kits
- IC Rated
- In stock and available to ship today!





NEW: Linear Lighting





Wrap

Wattage	Lumens
42W	4550

- 4000K
- In stock and available to ship today!

- 4ft Fixture
- 0-10V Dimming
- Surface or Pendant Mounting
- 4000K
- In stock and available to ship today!





NEW: Vapor-tight



Vapor-tight

Lumens

7200



- 4ft Fixture
- Plastic Clips
- 0-10V Dimming
- Surface, Pendant, or Stem Mounting

<u>Wattage</u>

55W

- V-Hook included
- 4000K
- In stock and available to ship today!





LED Recessed Downlight Updates









Exterior Luminaires



SafeLit Parking Garage Fixtures



	DLC OPI
Intertek	V/STED

<u>Wattage</u>	Lumens
44W	4500
84W	8300

- Rated for wet locations
- 0-10V DC dimming standard to maximize energy savings
- Can be surface or pendant mounted
- 10KA surge protection
- Factory installed occupancy sensor



Parking Garage Fixtures



			Parkway
		<u>Wattage</u> 41W	Lumens 4576
		54W	6142
		72W	8126
Rated for wet locations	T		Greenway
0-10V DC dimming standard to maximize		<u>Wattage</u>	Lumens
energy savings	Intertek	41W	4576
Can be surface or		54W	6142
pendant mounted		72W	8126

• 10KA surge protection



Canopy Fixtures



		Breezeway
	Wattage	Lumens
	23W	2696
	41W	4498
	54W	6161
	72W	8364
	Low Glare	e - Fairway
10KV Surge Protection	Wattage	Lumens
Duilt III	40W	4730
Mounting Options Separate		Pavilion
	Wattage	Lumens
	45W	4532
	82W	9325



Recessed Canopy Fixtures



		Cascade
33339 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Wattage	Lumens
	23W	2696
	41W	4498
	54W	6161
	72W	8364

- 10KA surge protection
- DesignLights Consortium® (DLC) qualified
- 5 year warranty
- Up to 76% Energy Savings
- Universal 120-277V 50/60 Hz input
- 0-10V DC dimming standard to maximize energy savings





Gas Station Canopy





- 5000K
- 4000K available, contact for leadtime
- Low profile, lightweight design
- Heavy-duty construction





NEW: Flood Lighting Fixtures NTURF **VFlood Roundbacks** Wattage Lumens 20W 2250 80W 9300 Intertek **Accessories** 7171 • 4000K Rated for wet locations In stock and available to ship today! U-bracket small




VFlood Updates	B			Z	VENTURE
					VFlood
		A ANA	/attage		Lumens
		1	21W		14453
		2	12W		25343
	120-2	277V and 34	47-480V v	versions	available
				Ac	cessories
 10KV Surge Protection Built In 	Straight Arm	مر U-brack	> et small	Shorti	ng Cap
 Shorting Cap Included 					\hat{O}
 Additional Surge Protection 					
Accessory	Slipfitter I	U-bracket la	rge Pho	tocell	Surge
• 5000K					Protector
 Mounting Options Separate 					lighting facts LED Product Partner



Wallpacks and Floods







Wallpacks





Defender

Wattage	Lumens
44W	5010
81W	9525

- Excellent life and lumens
- Rugged die cast housing with a durable powder coating finish





Wallpacks





4000K HID-style Wallpacks

<u>Wattage</u>	Lumens
80W	9880
120W	14770





Wallpacks




		VWallpax
	Wattage	Lumens
ntertek	20W	1780
	30W	2650
	50W	5420
ntertek	80W	8710
• Can be use	d as wallpack or f	lood
Knuckle mo	unt conversion ki	t for 20-30W
 Slipfitter mo 	unt conversion ki	t for 50-80W




Real Comparisons: Building Exterior





Shopping Center Receiving Area 400W MH Retrofitted with 81W LED wallpacks





NTURE



Real Comparisons: Parking Lot





200W Environ 1000W MH fixtures replaced with 200W Environ LED in Bayamon, Puerto Rico



Dusk to Dawn Fixtures





Dusk to Dawn

Wattage	Lumens
40W	4100

- Rated for wet locations
- 120-277V, 50/60 Hz input power
- Long life: 380,000 hours
- 0-10V dimming capability is standard





Mounting kit included





LED Lamps

Retrofit Lamps



Retrofit Lamps

	Wattage	Lumens
	8W	960
	10W	1200
	14W	1680
	18W	2160
	22W	2640
 Mogul and medium base 	27W	3240
8W-22W: Medium Only 27W-54W: Medium & Mogul	36W	4320
100W: Mogul Only	45W	5400
 Available in 4000K and 5000K 	54W	6500
 120-277V; Bypass Ballast 	100W	11000
 Mogul Based DLC Listed 	10011	
 Fully Enclosed Rated; Damp Location Rated 		



Directional Retrofit Lamps



Retrofit Lamps

Wattage	Lumens
54W	6500
115W	13500



- Available in 5000K
- Horizontal operation
- Type 5 Distribution





Directional Retrofit Lamps





• Available in 5000K

Lowbay Retrofit Lamps

Wattage	Lumens
40W	6500





Ballast-free LED T8 Lamps (Fluorescent ballast bypass) <u>Wattage</u> <u>Length</u> Lumens **9W** 2 ft. 925 LISTED 18W 4 ft. 2000 Note: Direct wire to 120-277V input Instant Start Fluorescent Ballast Compatible LED T8 lamps (Direct replacement) <u>Wattage</u> Length Lumens Change just the lamp ۲ 17W 4 ft. 1926 and start saving Note: Instant start ballast only Direct wire, Instant • All Fit Ballast Compatible Start Ballast LED T8 lamps (Direct replacement or ballast bypass) compatible, or both <u>Wattage</u> Length Lumens 18W 4 ft. 2212

Note: All Fit lamps are Instant start, Programmable and Rapid Start ballast compatible and can be wired directly to 120-277V by bypassing the fluorescent ballast



T8 Lamps



Lighting Controls

Take Control of Your Lighting






Venture Lighting Control Services

- Building layout
- Hardware recommendations / costing
- Site commissioning
- Software training
- ROI calculations



Controls for Outdoor and Indoor





Venture's wireless control offerings provide flexibility to develop light schedules for additional energy savings, to accommodate events or holidays and to improve site safety.





Marketing Support Point-of-Purchase Display

P-O-P Display Program

- FREE pre-assembled pointof-purchase display shelf unit with \$5,000 minimum order
- 10% discount on initial order
- FREE Freight on ALL orders through 2017
- 90 Day Terms (applies to display program orders only)
- Product exchange program is available for slower moving products
- Special pricing
- Venture Counter Day once unit is installed










Coming Soon!

















- 320W Linear highbay
- •And more!





Incentives


Incentive Programs



- Point-of-Purchase display program
- Increased Rebate based on number of POP displays
- Freight Policy based on Total Sales
- Wallpack spiff














The Venture LED Assurance







Lighting Solutions from a Leader in Light Source Technology