VSPLASH

HIGHBAY LIGHTING FOR FOOD PROCESSING APPLICATIONS







A DIFFERENT WAY OF LIGHT

SPECIALLY DESIGNED LIGHTING FOR FOOD PROCESSING APPLICATIONS*





LED HIGHBAY LIGHTING



VSplash Highbay


Venture Lighting's VSplash LED highbay is NSF Certified and uniquely designed for food processing applications yet maintains a high lumen efficacy. The smooth shape eliminates exposed hardware as well as prevents dust and moisture from collecting, enhancing the safety for food processing applications. The die-cast aluminum body ensures heat dissipation providing cool running operation. The fixture is IP69K rated which ensures the fixture is dust tight and also able to withstand cleaning by high pressure water jets. The IP69K rating makes cleaning worry free for NSF applications. Fixtures have a durable and corrosion-resistant powder coating finish.

120-277V

| Wattage | Order Code | Lumen Output | Color Temp. | CRI | Life Hours† | Fixt. Color | Dimming Leads | Amp. D 120V | raw (A) 277V | Replaces Existing HID Wattages | DLC/NSF Model Number |
|---------|---------------|-----------------|----------------|-----|----------------|----------------|-------------------|----------------|-----------------|-----------------------------------|-------------------------|
| 150W | HB45236 | 20250 | 5000K | 80 | 230,000 | Gray | External | 1.21 | 0.56 | 400W | HW1-150C-AB |
| 150W | HB41357 | 20250 | 5000K | 80 | 230,000 | Gray | Internal (capped) | 1.21 | 0.56 | 400W | HW1-150C-AB |




Photometrics



Note: * NSF Certified for General Lighting, not for food contact

VENTURE A DIFFERENT WAY OF LIGHT

Dimensions



Benefits and Features

- NSF Certified
- Efficacy up to 135 lumens per watt
- Electrical: 50/60Hz, 120-277V
- No external reflectors required
- Polycarbonate lens: safe for food processing applications
- Operating temperature: -40°C up to 40°C
- Body and mounting loop are Aluminum alloy
- Stainless steel hardware
- IP69K Rating
- 5 years warranty
- CCT: 5000K
- 80 CRI
- Beam angle: 90° standard; optional 50° and 120° beam angles available
- Superior temperature stability
- Temperature tested at toughest conditions

Accessories (Order as separate line items)

- LN13632 120° Clear plastic flat lens
- LN13492 120° Frosted plastic lens
- LN13421 120° Clear tempered glass lens
- 🗆 LN28431 50° Clear plastic lens
- 🗆 AC78126 Pendant mount kit

Factory installed Indoor and NSF certified watertight plug options are available, see spec sheets for details



VSplash

Tel. 800-451-2606 • VentureLighting.com



V S P L A S H



A DIFFERENT WAY OF LIGHT

(800) 451-2606 6675 Parkland Blvd., Suite 100 Solon, OH 44139 USA E-mail: Venture_Lighting@VentureLighting.com VentureLighting.com